

## BAF09GAL - NOTES

(Medical History Follow-up - Gallbladder Problems)

The following summarizes changes made to the dataset B2F09GAL for public use distribution.

1. Records for black men, white women, and white men were deleted due to small Ns detected in the transformation of BAF08.
2. The following variable was deleted:  
B09IVID
3. The following variables were transformed:  
*Polychotomous:* B08GALST (all values set to missing)  
*Continuous:* B08GALDA, B08GALCA

CONTENTS PROCEDURE

Data Set Name: NEW.BAF09GAL                      Observations:        24  
Member Type: DATA                                Variables:             5  
Engine: V612                                        Indexes:               0  
Created: 11:28 Tuesday, October 26, 1999      Observation Length: 20  
Last Modified: 11:28 Tuesday, October 26, 1999 Deleted Observations: 0  
Protection:                                        Compressed:           NO  
Data Set Type:                                     Sorted:                NO  
Label:

-----Engine/Host Dependent Information-----

Data Set Page Size: 8192  
Number of Data Set Pages: 1  
File Format: 607  
First Data Page: 1  
Max Obs per Page: 406  
Obs in First Data Page: 24

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
4	B09GALCA	Num	3	9	AGE AT GALL DZ CURE/DISAPP.
1	B09GALDA	Num	3	0	AGE AT DX, GALLSTONE/BLADDER DZ
3	B09GALRM	Num	3	6	GALL STONE(S) REMOVED?
2	B09GALST	Num	3	3	STATUS OF GALLSTONE/BLADDER DZ
5	PID	Num	8	12	

```
* BAF09GAL.SAS;

* Template program for creating public use datasets;
* This calls different macros to transform those variables so identified;
* H. McCreath 7/99;
```

```
options ps=59 ls=75 macrogen;
```

```
libname orig 'f:\examdata\y2';
* above corresponds to q:\examdata\y2;
```

```
* All references to c:\qdrive\sas\pud correspond to q:\sas\pub;
```

```
libname new 'c:\qdrive\sas\pud';
```

```
%include 'c:\qdrive\sas\pud\dichx.sas';
%include 'c:\qdrive\sas\pud\contx.sas';
%include 'c:\qdrive\sas\pud\datex.sas';
%include 'c:\qdrive\sas\pud\polyx.sas';
```

```
data temp;
  merge orig.b2f09gal (in=inorig)
        new.pid;
  by short_id;
```

```
if inorig;
```

```
title2 'ORIGINAL VARIABLE';
%polyx(b09galst);
```

```
data temp;
  set temp;
```

```
* Set to missing due to small Ns in transformation;
b09galst=.;
```

```
title2 'TRANSFORMED VARIABLE';
%polyx(b09galst);
```

```
title2;
%dichx(b09galrm);
```

```
%confrun(b09galda,'GALDA');

%confrun(b09galca,'GALCA');

/*
%datex();
*/

proc sort data=temp; by pid;
run;

data new.baf09gal;
  set temp;

if gr=' ' then delete;

* Delete records due to transformations in Form 8 file;
if gr in('BM','WF','WM') then delete;

* Drop following variables;

drop b09ivid;

* Delete CARDIA ID variables;
drop id shortid short_id center gr;

proc contents;
  title 'CARDIA PUBLIC USE DATA - VERSION 1.0';
run;
```