

## BAF09HBP - NOTES

(Medical History Follow-up - Hypertension)

The following summarizes changes made to the dataset B2F09HBP for public use distribution.

1. The following variables were deleted:  
B09IVID
2. The following variables were transformed:  
*Continuous:* B09HBPAG

CONTENTS PROCEDURE

Data Set Name: NEW.BAF09HBP                      Observations:        422  
Member Type: DATA                                Variables:            4  
Engine: V612                                        Indexes:              0  
Created: 6:42 Wednesday, October 27, 1999    Observation Length: 17  
Last Modified: 6:42 Wednesday, October 27, 1999 Deleted Observations: 0  
Protection:                                        Compressed:         NO  
Data Set Type:                                     Sorted:               NO  
Label:

-----Engine/Host Dependent Information-----

Data Set Page Size: 8192  
Number of Data Set Pages: 1  
File Format: 607  
First Data Page: 1  
Max Obs per Page: 477  
Obs in First Data Page: 422

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
2	B09HBPAG	Num	3	3	AGE WHEN TOLD HAD HBP
1	B09HBP G1	Num	3	0	HBP DX BASED ON > 1 VISIT?
3	B09HBPST	Num	3	6	STILL HAVE HBP?
4	PID	Num	8	9	

```
* BAF09HBP.SAS;

* Template program for creating public use datasets;
* This calls different macros to transform those variables so identified;
* H. McCreath 7/99;
```

```
options ps=59 ls=75 macrogen;
```

```
libname orig 'f:\examdata\y2';
* above corresponds to q:\examdata\y2;
```

```
* All references to c:\qdrive\sas\pud correspond to q:\sas\pub;
```

```
libname new 'c:\qdrive\sas\pud';
```

```
%include 'c:\qdrive\sas\pud\dichx.sas';
%include 'c:\qdrive\sas\pud\contx.sas';
%include 'c:\qdrive\sas\pud\datex.sas';
%include 'c:\qdrive\sas\pud\polyx.sas';
```

```
data temp;
  merge orig.b2f09hbp (in=inorig)
        new.pid;
  by short_id;
```

```
if inorig;
```

```
/*
title2 'ORIGINAL VARIABLE';
%polyx();
```

```
title2 'TRANSFORMED VARIABLE';
%polyx();
```

```
title2;
%dichx();
*/
```

```
%confrun(b09hbpag,'HBPAG');
```

```
/*
%datex();
```

```
*/  
  
proc sort data=temp; by pid;  
run;  
  
data new.baf09hbp;  
  set temp;  
  
if gr=' ' then delete;  
  
* Drop following variables;  
  
drop b09ivid;  
  
* Delete CARDIA ID variables;  
drop id shortid short_id center gr;  
  
proc contents;  
  title 'CARDIA PUBLIC USE DATA - VERSION 1.0';  
run;
```