

CAF9PRG2- NOTES

(Medical History Follow-up - Pregnancy File 2)

The following summarizes changes made to the dataset C1F9PRG2 for public use distribution.

1. The following variables were transformed (listed by type):

Date: C09ENDDT

Continuous: C09NOBAB

Please note that transformations for C09NOBAB were made for values greater than 0. If less than 20 participants in any given race-gender strata had values greater than 0, all values are set to missing.

2. Records with pregnancy numbers (C09PRGNO) greater than the transformed values from CAF9PRG1.SD2 were deleted..

CARDIA PUBLIC USE DATA - VERSION 1.0

08:43 Thursday, October 28, 1999

CONTENTS PROCEDURE

Data Set Name:	NEW.CAF9PRG2	Observations:	956
Member Type:	DATA	Variables:	9
Engine:	V612	Indexes:	0
Created:	10:06 Thursday, October 28, 1999	Observation Length:	44
Last Modified:	10:06 Thursday, October 28, 1999	Deleted Observations:	0
Protection:		Compressed:	NO
Data Set Type:		Sorted:	NO
Label:			

-----Engine/Host Dependent Information-----

Data Set Page Size:	8192
Number of Data Set Pages:	6
File Format:	607
First Data Page:	1
Max Obs per Page:	185
Obs in First Data Page:	152

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
1	C09ENDDT	Num	8	0	DATE PREGNANCY ENDED
5	C09NOBAB	Num	4	20	NR. BABIES, THIS PREGNANCY
4	C09PGSTA	Num	4	16	END PREGNANCY STATUS
2	C09PRGNO	Num	4	8	PREGNANCY NUMBER, SINCE CARDIA EXAM 2
3	C09PRGWK	Num	4	12	WEEKS OF PREGNANCY
8	C09P_DIB	Num	4	32	GESTATIONAL DIABETES?
7	C09P_HBP	Num	4	28	GESTATIONAL HBP?
6	C09TOXEM	Num	4	24	TOXEMIA?
9	PID	Num	8	36	

* CAF9PRG2.SAS;

* Template program for creating public use datasets;

* This calls different macros to transform those variables so identified;

* H. McCreath 7/99;

options ps=59 ls=75 macrogen;

libname orig 'f:\examdata\y5';

* above corresponds to q:\examdata\y5;

* All references to c:\qdrive\sas\pud correspond to q:\sas\pub;

libname new 'c:\qdrive\sas\pud';

%include 'c:\qdrive\sas\pud\dichx.sas';

%include 'c:\qdrive\sas\pud\contx.sas';

%include 'c:\qdrive\sas\pud\datex.sas';

%include 'c:\qdrive\sas\pud\polyx.sas';

data temp;

merge orig.c1f9prg2 (in=inorig)

new.pid;

by short_id;

if inorig;

proc sort data=temp; by pid;

run;

data temp;

merge temp (in=inorig)

new.caf9prg1 (keep=pid c09npreg rename=(c09npreg=cnpreg));

by pid;

if inorig;

* This is done for transformation in order to do key mapping;

if c09prgno > cnpreg then delete;

* Add sort due to multiple observations with same PID;

proc sort; by c09nobab;

run;

```
%confrun(c09nobab,'NOBAB');

%datex(c09enddt);

/*
title2 'ORIGINAL VARIABLE';
%polyx();

title2 'TRANSFORMED VARIABLE';
%polyx();

title2;
%dichx();

*/

proc sort data=temp; by pid;
run;

data new.caf9prg2;
  set temp;

if gr=' ' then delete;

* Delete CARDIA ID variables;
drop id shortid short_id gr cnpreg;

proc contents;
  title 'CARDIA PUBLIC USE DATA - VERSION 1.0';
run;
```