

CARDIA ID Label

CARDIA II
PHLEBOTOMY

___/___/___
exam date

1. Phlebotomist
B05PHLID

ASK PARTICIPANT

2. What time and date did you last eat and/or drink anything other than water including candy and chewing gum ?
B05TMEAT B05DTEAT
___:___ ___/___/___
time date

3. Have you ever had hepatitis ? B05HEPA
1 No 2 Yes 8 DON'T KNOW

4. Do you have any bleeding disorders ? B05HEMO
1 No 2 Yes 8 DON'T KNOW

5. Do you have any reason to believe you have been exposed to AIDS ? B05AIDS
1 No 2 Yes 8 DON'T KNOW

WAS ANY BLOOD DRAWN ? B05BLDDW

1 No If no, skip rest of form

2 Yes If yes, continue with Q.6

6. B05TMBLD
___:___ Time blood drawn

7. What position was the participant in during most of the blood drawing ? B05POSTN

1 Sitting

2 Supine

8. B05TMSPN Time specimen was spun

9. Was specimen visibly hemolyzed ? B05VISHM

1 No

2 Yes

10. B05TMFRZ

Time specimen was frozen

Indicate whether the vial was Filled at least to the minimum (F), Not filled to the minimum (N), or Empty (E)

Tube	Handling	Vial	Status
15 ml purple	ice centrifuge	<input type="checkbox"/> $\frac{1}{2}$ ml plasma aliquot color stripe label B05TB1A <input type="checkbox"/> 5 ml plasma aliquot (3 ml minimum) color stripe label B05TB1B <input type="checkbox"/> $\frac{1}{2}$ ml plasma aliquot white label B05TB1C ✓ <input type="checkbox"/> $\frac{1}{2}$ ml plasma aliquot white label B05TB1D ✓	freeze

Tube	Handling	Vial	Status
10 ml red	rack centrifuge	<input type="checkbox"/> $\frac{1}{2}$ ml serum aliquot yellow label B05TB1E <input type="checkbox"/> $\frac{1}{2}$ ml serum aliquot yellow label B05TB1F <input type="checkbox"/> $\frac{1}{2}$ ml serum aliquot yellow label B05TB1G <input type="checkbox"/> $\frac{1}{2}$ ml serum aliquot yellow label B05TB1H <input type="checkbox"/> 2 ml serum aliquot yellow label B05TB1I	freeze

Is participant Quality Control ? B05QC

1 No

2 Yes



QUALITY CONTROL LABEL

Tube	Handling	Vial	Status
15 ml purple	ice centrifuge	<input type="checkbox"/> $\frac{1}{2}$ ml plasma aliquot color stripe label B0510MLA <input type="checkbox"/> 5 ml plasma aliquot (3 ml minimum) color stripe label	freeze

B0510MLB