

## DAF9PRG2- NOTES

(Medical History Follow-up - Pregnancy File 2)

The following summarizes changes made to the dataset D1F9PRG2 for public use distribution.

1. The following variables were transformed (listed by type):

*Date:* D09ENDDT

*Continuous:* D09NOBAB

Please note that transformations for D09NOBAB were made for values greater than 0. If less than 20 participants in any given race-gender strata had values greater than 0, all values are set to missing.

2. Records with pregnancy numbers (D09PRGNO) greater than the transformed values from DAF9PRG1.SD2 were deleted.

CARDIA PUBLIC USE DATA - VERSION 1.0

08:43 Thursday, October 28, 1999

CONTENTS PROCEDURE

Data Set Name:	NEW.DAF9PRG2	Observations:	1744
Member Type:	DATA	Variables:	11
Engine:	V612	Indexes:	0
Created:	11:24 Thursday, October 28, 1999	Observation Length:	52
Last Modified:	11:24 Thursday, October 28, 1999	Deleted Observations:	0
Protection:		Compressed:	NO
Data Set Type:		Sorted:	NO
Label:			

-----Engine/Host Dependent Information-----

Data Set Page Size:	8192
Number of Data Set Pages:	12
File Format:	607
First Data Page:	1
Max Obs per Page:	156
Obs in First Data Page:	124

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
1	D09ENDDT	Num	8	0	DATE PREGNANCY ENDED
5	D09NOBAB	Num	4	20	NR. BABIES, THIS PREGNANCY
4	D09PGSTA	Num	4	16	END PREGNANCY STATUS
2	D09PRGNO	Num	4	8	PREGNANCY NUMBER, SINCE LAST CARDIA EXAM
3	D09PRGWK	Num	4	12	WEEKS OF PREGNANCY
10	D09P_DIB	Num	4	40	GESTATIONAL DIABETES?
9	D09P_HBP	Num	4	36	GESTATIONAL HBP?
8	D09TOXEM	Num	4	32	TOXEMIA?
6	D09WTGN	Num	4	24	WEIGHT GAINED DURING PREGNANCY
7	D09WTLS	Num	4	28	WEIGHT LOST SINCE DELIVERY
11	PID	Num	8	44	

\* DAF9PRG2.SAS;

\* Template program for creating public use datasets;

\* This calls different macros to transform those variables so identified;

\* H. McCreath 7/99;

options ps=59 ls=75 macrogen;

libname orig 'f:\examdata\y7';

\* above corresponds to q:\examdata\y7;

\* All references to c:\qdrive\sas\pud correspond to q:\sas\pub;

libname new 'c:\qdrive\sas\pud';

%include 'c:\qdrive\sas\pud\dichx.sas';

%include 'c:\qdrive\sas\pud\contx.sas';

%include 'c:\qdrive\sas\pud\datex.sas';

%include 'c:\qdrive\sas\pud\polyx.sas';

data temp;

merge orig.d1f9prg2 (in=inorig)

new.pid;

by short\_id;

if inorig;

proc sort data=temp; by pid;

run;

data temp;

merge temp (in=inorig)

new.daf9prg1 (keep=pid d09npreg rename=(d09npreg=dnpreg));

by pid;

if inorig;

\* This is done for transformation in order to do key mapping;

if d09prgno > dnpreg then delete;

\* Add sort due to multiple observations with same PID;

proc sort; by d09nobab;

run;

```

%confrun(d09nobab,'NOBAB');

%datex(d09enddt);

/*
title2 'ORIGINAL VARIABLE';
%polyx();

title2 'TRANSFORMED VARIABLE';
%polyx();

title2;
%dichx();

%confrun();
*/

proc sort data=temp; by pid;
run;

data new.daf9prg2;
  set temp;

if gr=' ' then delete;

* Drop these variables;
drop d09ivid;

* Delete CARDIA ID variables;
drop id shortid short_id gr dnpreg;

proc contents;
  title 'CARDIA PUBLIC USE DATA - VERSION 1.0';
run;

```