

Manuscripts, published or accepted, 1987 - 2008, CARDIA Study

- 23 Hughes GH, Cutter GR, Donahue RP, Friedman GD, Hulley SB, Hunkeler E, Jacobs DR, Jr, Liu K, Orden SR, Pirie P, Tucker B, Wagenknecht LE. Recruitment in the Coronary Artery Disease Risk Development in Young Adults (CARDIA) study. *Controlled Clinical Trials*. 1987; 8:68S-73S
- 1 Friedman GD, Cutter GR, Donahue RP, Hughes GH, Hulley SB, Jacobs DR, Jr, Liu K, Savage PJ. CARDIA: Study design, recruitment and some characteristics of the examined subjects. *Journal of Clinical Epidemiology*. 1988; 41:1105-1116.
- 41 Jacobs DR, Jr, Burke GL, Liu K, Cutter GR, Hughes GH, Hulley SB, Sidney S. Relationships of low density lipoprotein cholesterol with age and other factors: A cross-sectional analysis of the CARDIA study. *Annals of Clinical Research*. 1988; 20:32-38
- 7 Liu K, Ballew C, Jacobs DR, Jr, Sidney S, Savage PJ, Dyer AR, Hughes GH, Blanton MM. Ethnic differences in blood pressure, pulse rate, and related characteristics in young adults: The CARDIA Study. *Hypertension*. 1989; 14:218-226
- 35 Folsom AR, Burke GL, Ballew C, Jacobs DR, Jr, Haskell WL, Donahue RP, Liu K, Hilner JE. Relation of body fatness and its distribution to cardiovascular risk factors in young blacks and whites: The role of insulin. *American Journal of Epidemiology*. 1989; 130:911-924
- 40 Donahue RP, Jacobs DR, Jr, Sidney S, Wagenknecht LE, Albers JJ, Hulley SB. Distribution of lipoproteins and apolipoproteins in young adults: The CARDIA Study. *Arteriosclerosis*. 1989; 9:656-664
- 52 Jacobs DR, Jr, Hahn LP, Haskell WL, Pirie P, Sidney S. Validity and reliability of short physical activity history: CARDIA and the Minnesota Heart Health Program. *Journal of Cardiopulmonary Rehabilitation*. 1989; 9:448-459
- 5 Manolio TA, Savage PJ, Burke GL, Liu K, Wagenknecht LE, Sidney S, Jacobs DR, Jr, Roseman JM, Donahue RP, Oberman A. Association of fasting insulin with blood pressure and lipids in young adults: The CARDIA Study. *Arteriosclerosis*. 1990; 10:430-436
- 8 Dyer AR, Cutter GR, Liu K, Armstrong MA, Friedman GD, Hughes GH, Dolce JJ, Raczynski JM, Burke GL, Manolio TA. Alcohol intake and blood pressure in young adults: The CARDIA Study. *Journal of Clinical Epidemiology*. 1990; 43:1-13
- 16 Friedman GD, Tekewa I, Grimm RH, Manolio TA, Shannon SG, Sidney S. The leucocyte count: Correlates and relationship to coronary risk factors: The CARDIA Study. *International Journal of Epidemiology*. 1990; 19:889-893
- 20 Tallmer J, Scherwitz L, Chesney MA, Hecker M, Hunkeler E, Serwitz J, Hughes G. Selection, training, and quality control of Type A interviewers in a prospective study of young adults. *Journal of Behavioral Medicine*. 1990; 13:449-466

- 21 Wagenknecht LE, Cutter GR, Haley NJ, Sidney S, Manolio TA, Hughes GH, Jacobs DR, Jr. Racial differences in serum cotinine levels among smokers in the Coronary Artery Risk Development in (Young) Adults Study. *American Journal of Public Health.* 1990; 80:1053-1056
- 24 Orden SR, Dyer AR, Liu K. Recruiting young adults in an urban setting: The Chicago CARDIA experience. *American Journal of Preventive Medicine.* 1990; 6:176-182
- 33 Wagenknecht LE, Perkins LL, Cutter GR, Sidney S, Burke GL, Manolio TA, Jacobs DR, Jr, Liu K, Friedman GD, Hughes GH, Hulley SB. Cigarette smoking behavior is strongly related to educational status: The CARDIA Study. *American Journal of Preventive Medicine.* 1990; 19:158-169
- 45 Burke GL, Jacobs DR, Jr, Sprafka JM, Savage PJ, Sidney S, Wagenknecht LE. Obesity and overweight in young adults: The CARDIA Study. *American Journal of Preventive Medicine.* 1990; 19:476-488
- 49 Ballew C, Liu K, Savage PJ, Oberman A, Smoak C, and the CARDIA Study Group. The utility of indirect measures of obesity in racial comparisons of blood pressure. *Journal of Clinical Epidemiology.* 1990; 43:779-804
- 10 Van Horn LV, Ballew C, Liu K, Ruth KJ, McDonald A, Hilner JE, Burke GL, Savage PJ, Bragg C, Caan BJ, Jacobs DR, Jr, Slattery ML, Sidney S. Diet, body size and plasma lipids - lipoproteins in young adults: Differences by race and sex: The CARDIA Study. *American Journal of Epidemiology.* 1991; 133:9-23
- 26 Cutter GR, Burke GL, Dyer AR, Friedman GD, Hilner JE, Hughes GH, Hulley SB, Jacobs DR, Jr, Liu K, Manolio TA, Oberman A, Perkins LL, Savage PJ, Serwitz JR, Sidney S, Wagenknecht LE. Cardiovascular risk factors in young adults: The CARDIA baseline monograph. *Controlled Clinical Trials.* 1991; 12 (Supplement 1)
- 55 Higgins M, Keller JB, Wagenknecht LE, Townsend MC, Sparrow D, Jacobs DR, Jr, Hughes GH. Pulmonary function and cardiovascular risk factor relationships in black and in white young men and women: The CARDIA Study. *Chest.* 1991; 99:315-322
- 77 Scherwitz L, Perkins LL, Chesney MA, Hughes GH. Cook-Medley hostility scale and subsets: Relationship to demographic and psychosocial characteristics in young adults in the CARDIA study. *Psychosomatic Medicine.* 1991; 53:36-49
- 119 Sidney S. Preemployment drug screening and employment outcome (letter to the editor). *Journal of the American Medical Association.* 1991; 265:1392-1393
- 15 Sidney S, Jacobs DR, Jr, Haskell WL, Armstrong MA, Dimicco A, Oberman A, Savage PJ, Slattery ML, Sternfeld B, Van Horn L. Comparison of two methods of assessing physical activity in the Coronary Artery Risk Development in Young Adults (CARDIA) study. *American Journal of Epidemiology.* 1991; 133:1231-1245

- 97 Folsom AR, Burke GL, Byers CL, Hutchinson RG, Heiss G, Flack JM, Jacobs DR, Jr, Caan BJ. Implications of obesity for cardiovascular disease in blacks: The CARDIA and ARIC studies. *American Journal of Clinical Nutrition*. 1991; 53:1604S-1611.
- 70 Manolio TA, Savage PJ, Burke GL, Hilner JE, Liu K, Orchard TJ, Sidney S, Oberman A. Correlates of fasting insulin levels in young adults: The CARDIA Study. *Journal of Clinical Epidemiology*. 1991; 44:571-578.
- 2 McDonald A, Van Horn L, Slattery ML, Hilner JE, Bragg C, Caan BJ, Jacobs DR, Jr, Liu K, Hubert H, Gernhoffer N, Betz E, Havlik D. The CARDIA dietary history: Development, implementation, and evaluation. *Journal of the American Dietetic Association*. 1991; 91:1104-1112.
- 43 Burke GL, Savage PJ, Sprafka JM, Selby JV, Jacobs DR, Jr, Perkins LL, Roseman JM, Hughes GH, Fabsitz RR. Relation of risk factor levels in young adulthood to parental history of disease: The CARDIA Study. *Circulation*. 1991; 84:1176-1187.
- 83 Slattery ML, Jacobs DR, Jr, Hilner JE, Caan BJ, Van Horn L, Bragg C, Manolio TA, Kushi LH, Liu K. Meat consumption and its associations with other diet and health factors in young adults: The CARDIA Study. *American Journal of Clinical Nutrition*. 1991; 54:930-935.
- 14 Sidney S, Haskell WL, Crow R, Sternfeld B, Oberman A, Armstrong MA, Cutter GR, Jacobs DR, Jr, Savage PJ, Van Horn L. Symptom-limited graded treadmill exercise testing in young adults in the CARDIA study. *Medicine and Science in Sports and Exercise*. 1992; 24:177-183.
- 60 Perkins LL, Cutter GR, Wagenknecht LE, Savage PJ, Dyer AR, Birch RF. Distributed data analysis in a multicenter study: The CARDIA Study. *Controlled Clinical Trials*. 1992; 13:80-90.
- 50 Hilner JE, McDonald A, Van Horn L, Bragg C, Caan BJ, Slattery ML, Birch R, Smoak CG, Wittes J. Quality control of dietary data collection in the CARDIA study. *Controlled Clinical Trials*. 1992; 13:156-169.
- 81 Wagenknecht LE, Burke GL, Perkins LL, Haley NJ, Friedman GD. Misclassification of smoking status in the CARDIA study: A comparison of self-report with serum cotinine levels. *American Journal of Public Health*. 1992; 82:33-36.
- 109 Slattery ML, McDonald A, Bild D, Caan BJ, Hilner JE, Jacobs DR, Jr, Liu K. Associations of body fat and its distribution with dietary intake, physical activity, alcohol, and smoking in blacks and whites. *American Journal of Clinical Nutrition*. 1992; 55:943-49.
- 25 Orden SR, Dyer AR, Liu K, Perkins LL, Ruth KJ, Burke GL, Manolio TA. Random digit dialing in Chicago CARDIA: Comparison of individuals with unlisted and listed telephone numbers. *American Journal of Epidemiology*. 1992; 135:697-709.

- 78 Scherwitz LW, Perkins LL, Chesney MA, Hughes GH, Sidney S, Manolio TA. Hostility and health behaviors in young adults: The CARDIA Study. *American Journal of Epidemiology*. 1992; 136:136-45.
- 32 Manolio TA, Burke GL, Savage PJ, Jacobs DR, Jr, Sidney S, Wagenknecht LE, Allman RM, Tracy RP. Sex- and race-related differences in liver-associated serum chemistry tests in young adults: The CARDIA Study. *Clinical Chemistry*. 1992; 38:1853-1859.
- 64 Burke GL, Savage PJ, Manolio TA, Sprafka JM, Wagenknecht LE, Sidney S, Perkins LL, Liu K, Jacobs DR, Jr. Correlates of obesity in young black and white women: The CARDIA Study. *American Journal of Public Health*. 1992; 82:1621-25.
- 106 Jacobs DR, Jr, Nelson ET, Dontas AS, Keller J, Slattery ML, Higgins M. Are race and sex differences in lung function explained by frame size?: The CARDIA Study. *American Review of Respiratory Diseases*. 1992; 146:644-49.
- 87 Kaye SA, Folsom AR, Jacobs DR, Jr, Hughes GH, Flack JM. Psychosocial correlates of body fat distribution in black and white young adults. *International Journal of Obesity*. 1993; 17:271-277.
- 112 Sidney S, Sternfeld B, Gidding SS, Jacobs DR, Jr, Bild D, Oberman A, Haskell W, Crow R, Gardin JM. Cigarette smoking and submaximal exercise test duration in a biracial population of young adult: The CARDIA Study. *Medicine and Science Sports Exercise*. 1993; 911-916.
- 79 Wagenknecht LE, Manolio TA, Sidney S, Burke GL, Haley NJ. Environmental tobacco smoke exposure as determined by cotinine in black and white young adults: The CARDIA Study. *Environmental Research*. 1993; 63:39-46.
- 18 Lewis CE, Caan B, Funkhouser E, Hilner JE, Bragg C, Dyer AR, Raczynski JM, Savage PJ, Armstrong MA, Friedman GD. Inconsistent associations of caffeine containing beverages with blood pressure and with lipoproteins: The CARDIA Study. *American Journal of Epidemiology*. 1993; 138(7):502-507.
- 107 Shimakawa T, Bild DE. Relationship between hemoglobin and cardiovascular disease risk factors in young adults. *Journal of Clinical Epidemiology*. 1993; 46(11):1257-1266.
- 86 Bild DE, Jacobs DR, Jr., Sidney S, Haskell W, Anderssen N, Oberman A. Physical activity in young black and white women: The CARDIA Study. *Annals of Epidemiology*. 1993; 3(6):636-644.
- 120 Wagenknecht LE, Manolio TA, Lewis CE, Perkins LL, Lando H, Hulley SB. Race and education in relation to stopping smoking in the United States: The CARDIA Study. *Tobacco Control: An International Journal*. 1993; 2:286-292.
- 141 Folsom AR, Qamheih H, Flack JM, Hilner JE, Liu K, Howard BV, Tracy R. Plasma fibrinogen levels and correlates of young adults. *American Journal of Epidemiology*. 1993; 138:1023-1036

- 104 Slattery ML, Dyer AR, Hilner JE, Caan BJ, Bild DE, Liu K, McDonald A, Van Horn L, Hardin JM. A comparison of two methods to ascertain dietary intake: The CARDIA Study. *Journal of Clinical Epidemiology*. 1994; 47:701-711
- Response to above article: *Journal of Clinical Epidemiology*. 1994; 47:715-717
- 130 Manolio TA, Burke GL, Savage PJ, Sidney S, Gardin JM, Oberman A. Exercise blood pressure response and 5-year risk of high blood pressure in a cohort of young adults: The CARDIA Study. *American Journal of Hypertension*. 1994; 7:234-241
- 137 Smith DE, Lewis CE, Caveny J, Perkins LL, Burke GL, Bild DE. Longitudinal changes in adiposity associated with pregnancy: The CARDIA Study. *Journal of the American Medical Association*. 1994; 271(22):1747-1751
- 150 Lewis CE, Smith DE, Caveny J, Perkins LL, Burke GL, Bild DE. Associations of body mass and body fat distribution with parity among African-American and Caucasian women: The CARDIA Study. *Obesity Research*. 1994; 2(6):517-525
- 3 Liu K, Slattery ML, Jacobs DR, Jr, Cutter GR, McDonald A, Van Horn L, Hilner JE, Caan BJ, Bragg C, Dyer AR, Havlik R. A study of the reliability and comparative validity of the CARDIA dietary history. *Ethnicity and Disease*. 1994; 4(1):15-27
- Liu K, Slattery ML and Jacobs DR, Jr. Is dietary recall the method of choice in black populations? *Ethnicity and Disease*. 1994; 4(1):12-14. The response to McGee and Prewitt's commentary "Capturing dietary diversity: Are existing methods adequate?" *Ethnicity and Disease*. 1994; 4(1):7-12
- 90 Caan BJ, Armstrong MA, Selby JV, Sadler M, Folsom AR, Jacobs DR, Jr, Slattery ML, Hilner JE, Roseman JM. Changes in measurements of body fat distribution accompanying weight change. *International Journal of Obesity*. 1994; 18:397-404
- 140 Howard BV, Le Ngoc-Anh, Belcher JD, Flack JM, Jacobs DR, Jr, Lewis CE, Marcovina SM, Perkins LL. Concentrations of Lp(a) in black and white young adults: Relations to risk factors for cardiovascular disease. *Annals of Epidemiology*. 1994; 4(5):341-350
- 155 Braun B, Gerberich S, Sidney S. Injury events: utility of self report in retrospective identification in the USA. *Journal of Epidemiology and Community Health*. 1994; 48:604-605
- 131 Wong ND, Gardin JM, Kurosaki T, Anton-Culver H, Sidney S, Roseman JM, Gidding SS. Echocardiographic left ventricular systolic function in young adults: Distribution and factors influencing variability. *American Heart Journal*. 1995; 129(3):571-577
- 13 Orden SR, Liu K, Ruth KJ, Jacobs DR, Jr, Bild DE, Serwitz JR. Multiple social roles and blood pressure of black and white women: The CARDIA Study. *Journal of Women's Health*. 1995; 4(3):281-291
- 134 Hoegerman GS, Lewis CE, Flack JM, Raczynski J, Caveny J, Gardin JM. Lack of association of recreational cocaine and alcohol use with left ventricular mass in young

- adults: The CARDIA Study. *Journal of American College of Cardiology*. 1995; 25(4):895-900
- 132 Gidding SS, Xie X, Liu K, Manolio TA, Flack JM, Gardin JM. Cardiac function in smokers and non-smokers: The CARDIA Study. *Journal of American College of Cardiology*. 1995; 26:211-216
- 127 Braun B, Wagenaar A, Flack JM. Alcohol consumption and physical fitness among young adults. *Alcoholism: Clinical and Experimental Research*. 1995; 19(4):1048-1054
- 156 Greenlund KJ, Liu K, Knox SS, McCreath H, Dyer AR, Gardin JM. Psychosocial work characteristics and cardiovascular disease risk factors in young adults: The CARDIA Study. *Social Science and Medicine*. 1995; 41(5):717-723
- 121 Gardin JM, Wagenknecht LE, Anton-Culver H, Flack JM, Gidding SS, Kurosaki T, Wong ND, Manolio TA. Relationship of cardiovascular risk factors to echocardiographic left ventricular mass in healthy young black and white adult men and women: The CARDIA Study. *Circulation*. 1995; 92(3):380-387
- 187 Zhang S, Folsom AR, Flack JM, Liu K. Body fat distribution before pregnancy and gestational diabetes: Findings from Coronary artery risk development in young adults (CARDIA) study. *British Medical Journal*. 1995; 311:1139-1140
- 116 Paczek A, Gardin JM, Hardin JM, Anton-Culver H, Kurosaki T, Hsu C, Bild DE. Comparison of m-mode and two-dimensional echocardiographic algorithms used to estimate left ventricular mass: The CARDIA Study. *Journal of the American Society of Echocardiography*. 1995; 8(6): 780-792
- 176 Greenlund KJ, Liu K, Kiefe CI, Yunis C, Dyer AR, Burke GL. Impact of father's education and parental smoking status on smoking behavior in young adults: The CARDIA Study. *American Journal of Epidemiology*. 1995; 142(10):1029-1033
- 126 Xie X, Gidding SS, Gardin JM, Bild DE, Wong ND, Liu K. Left ventricular diastolic function in young adults. *Journal of the American Society of Echocardiography*. 1995; 8(6):771-779
- 128 Slattery ML, Jacobs DR, Jr, Dyer AR, Benson J, Hilner JE, Caan BJ. Dietary antioxidants and plasma lipids: The CARDIA Study. *Journal of the American College of Nutrition*. 1995; 14(6):635-642
- 179 Liu K, Ruth KJ, Flack JM, Jones-Webb R, Burke GL, Savage PJ, Hulley SB. Blood pressure in young blacks and whites: Relevance of obesity and lifestyle factors in determining differences: The CARDIA Study. *Circulation*. 1996; 93(1):60-66
- 144 Bild DE, Sholinsky P, Smith DE, Lewis CE, Hardin JM, Burke GL. Correlates and predictors of weight loss in young adults: The CARDIA Study. *International Journal of Obesity*. 1996; 20:47-55

- 185 Greenlund KJ, Liu K, Dyer AR, Kiefe CI, Burke GL, Yunis C. Body mass index in young adults: Associations with parental body size and education in the CARDIA Study. *American Journal of Public Health*. 1996; 86(4):480-485.
- 37 McKetney EC, Ragland DR. John Henryism, education and blood pressure in young adults. *American Journal of Epidemiology*. 1996; 143(8):787-791
- 153 Sidney S, Sternfeld B, Haskell WL, Jacobs DR, Jr, Chesney MA, Hulley SB. Television viewing and cardiovascular risk factors in young adults: The CARDIA Study. *Annals of Epidemiology*. 1996; 6:154-159
- 163 Bild DE, Jacobs DR, Jr, Liu K, Williams OD, Hilner JE, Perkins LL, Marcovina SM, Hulley SB. Seven year trends in plasma LDL-cholesterol in young adults: The CARDIA Study. *Annals of Epidemiology*. 1996; 6(3):235-245
- 135 Anderssen N, Jacobs DR, Jr, Sidney S, Bild DE, Sternfeld B, Slattery ML, Hannan P. Change and secular trends in physical activity patterns in young adults: A seven-year longitudinal follow-up in the Coronary Artery Risk Development in Young Adults Study (CARDIA). *American Journal of Epidemiology*. 1996; 143(4):351-362.
- 168 Jones-Webb R, Jacobs DR, Jr, Flack JM, Liu K. Relationships between depressive symptoms, anxiety, alcohol consumption and blood pressure: Results from the CARDIA study. *Alcoholism: Clinical and Experimental Research*. 1996; 20(3):420-427
- 136 Knox SS, Jacobs DR, Jr, Chesney MA, Raczynski JM, McCreath H. Psychosocial factors and plasma lipids in black and white young adults: The CARDIA Study Data. *Psychosomatic Medicine*. 1996; 58:365-373
- 177 Folsom AR, Jacobs DR, Jr, Wagenknecht LE, Winkhart SP, Yunis C, Hilner JE, Savage PJ, Smith DE, Flack JM. Increase in fasting insulin and glucose over seven years with increasing weight and inactivity of young adults. *American Journal of Epidemiology*. 1996; 144(3):235-246
- 82 Lewis CE, Funkhouser E, Raczynski JM, Sidney S, Bild DE, Howard BV. Adverse effect of pregnancy on HDL-cholesterol in young adult women: The CARDIA Study. *American Journal of Epidemiology*. 1996; 144(3):247-254
- 113 Gidding SS, Liu K, Bild DE, Flack JM, Gardin JM, Ruth KJ, Oberman A. Prevalence and identification of abnormal lipoproteins in a biracial population aged 23 to 35 years: The CARDIA Study. *American Journal of Cardiology*. 1996; 78:304-308.
- 159 Markovitz JH, Raczynski JM, Lewis CE, Flack JM, Chesney MA, Chettur V, Hardin JM, Johnson E. Lack of independent relationships between left ventricular mass and cardiovascular reactivity to physical and psychological stress in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Hypertension*. 1996; 9:915-923

- 170 Braun BL, Murray D, Hannan P, Sidney S, Le C. Cocaine use and characteristics of young adult users from 1987-1992: The CARDIA Study. *American Journal of Public Health*. 1996; 86(12):1736-1741
- 139 Iribarren C, Belcher JD, Jacobs DR, Jr, Gross M, Schreiner P, Sidney S. Relation of lipoproteins, apolipoproteins, triglycerides, and lipid ratios to plasma total cholesterol: The CARDIA Study. *Journal of Cardiovascular Risk*. 1996; 3:391-396
- 123 Burke GL, Bild DE, Hilner JE, Folsom AR, Wagenknecht LE, Sidney S. Difference in weight gain in relation to race, gender, age and education in young adults: The CARDIA Study. *Ethnicity and Health*. 1996; 1(4):327-335
- 197 Son BK, Markovitz JH, Winders S, Smith DE. Smoking, nicotine dependence, and depressive symptoms in the CARDIA Study. *American Journal of Epidemiology*. 1997; 145(2):110-116
- 191 Braun BL, Murray DM, Sidney S. The effect of lifetime cocaine use experience on the cardiovascular characteristics of young adults. *American Journal of Public Health*. 1997; 87:629-634
- 161 Lewis CE, Smith DE, Wallace DD, Williams OD, Bild DE, Jacobs DR, Jr. Seven year trends in body weight and associations of weight change with lifestyle and behavioral characteristics in black and white young adults: The CARDIA Study. *American Journal of Public Health*. 1997; 87:635-642
- 182 Kiefe CI, Williams OD, Bild DE, Lewis CE, Hilner JE, Oberman A. Regional disparities in the incidence of elevated blood pressure among young adults: The CARDIA Study. *Circulation*. 1997; 96:1082-1088
- 219 Markovitz JH, Lewis CE, Sanders PW, Tucker D, Warnock DG. Relationship of diastolic blood pressure with cyclic GMP excretion among young adults (the CARDIA Study): Influence of a family history of hypertension. *Journal of Hypertension*. 1997; 15(9):955-962
- 158 Markovitz JH, Smith DE, Raczynski JM, Oberman A, Williams OD, Knox S, Jacobs DR, Jr. Lack of relations of hostility, negative affect and high risk behavior with low plasma lipid levels in the CARDIA Study. *Archives of Internal Medicine*. 1997; 157:1953-1959
- 198 Jacobs DR, Jr, Hebert B, Schreiner PJ, Sidney S, Iribarren C, Hulley SB. Reduced cholesterol is associated with recent minor illness: The CARDIA Study. *American Journal of Epidemiology*. 1997; 146(7):558-564
- 111 Iribarren C, Jacobs DR, Jr, Slattery ML, Liu K, Sidney S, Hebert BJ, Roseman J. Epidemiology of low total plasma cholesterol concentration in young adults: The CARDIA Study. *Preventive Medicine*. 1997; 26:495-507
- 201 Greenlund KJ, Kiefe CI, Gidding SS, Lewis CE, Srinivasan SR, Williams OD, Berenson GS. Differences in cardiovascular disease risk factors in Black and White young adults:

- Comparisons among five communities of the Bogalusa Heart Study and the CARDIA Study. *Annals of Epidemiology*. 1998; 8(1):22-30
- 166 Sidney S, Sternfeld B, Haskell WL, Quesenberry CP, Jr, Crow RS, Thomas RJ. Seven-year change in treadmill test performance in young adults in the CARDIA Study. *Medicine and Science in Sports and Exercise*. 1998; 30:427-433
- 212 Folsom AR, Vitelli LL, Lewis CE, Schreiner PJ, Watson RL, Wagenknecht LE. Is fasting insulin concentration inversely associated with rate of weight gain? Contrasting findings from the CARDIA and ARIC study cohorts. *International Journal of Obesity*. 1998; 22:48-54
- 174 Markovitz JH, Raczynski JM, Wallace DD, Chettur V. Cardiovascular reactivity to video game predicts subsequent blood pressure increases in young men: The CARDIA Study. *Psychosomatic Medicine*. 1998; 60:186-191
- 188 Kiefe CI, Williams OD, Greenlund KJ, Ulene V, Gardin JM, Raczynski JM. Health care access and seven-year change in cigarette smoking: The CARDIA Study. *American Journal of Preventive Medicine*. 1998; 15(2):146-154
- 192 Rathmann W, Funkhouser E, Dyer AR, Roseman JM. Relations of hyperuricemia with the various components of the insulin resistance syndrome in young Black and White adults: The CARDIA Study. *Annals of Epidemiology*. 1998; 8(4):250-261
- 206 Archer SL, Liu K, Dyer AR, Ruth KJ, Jacobs DR, Jr, VanHorn L, Hilner JE, Savage PJ. Relationship between changes in dietary sucrose and high density lipoprotein cholesterol: The CARDIA Study. *Annals of Epidemiology*. 1998; 8:433-438
- 233 Markovitz JM, Tucker D, Lewis CE, Sanders PW, Warnock DG. Inverse relationship of urinary cyclic GMP to blood pressure reactivity in the CARDIA Study: Vasodilatory regulation of sympathetic vasoconstriction. *Psychosomatic Medicine*. 1998; 60:319-326
- 194 Bild DE, Sholinsky PD, Schreiner PJ, Hilner JE, Swanson CA. Validity of self-reported fat distribution in young adults: The CARDIA Study. *Journal of Clinical Epidemiology*. 1998; 51:407-413
- 165 Wagenknecht LE, Craven TE, Preisser JS, Manolio TA, Winders S, Hulley SB. Ten-year trends in cigarette smoking among young adults, 1986-1996: The CARDIA Study. *Annals of Epidemiology*. 1998; 8:301-307
- 202 Howard B, Gidding SS, Liu K. Association of apolipoprotein E phenotype with plasma lipoproteins in African American and White young adults: The CARDIA Study. *American Journal of Epidemiology*. 1998; 148(9):859-868
- 138 Klesges RC, Ward KD, Ray JW, Cutter G, Jacobs DR, Jr, Wagenknecht LE. The prospective relationships between smoking and weight in a young, biracial cohort: The CARDIA Study. *Journal of Consulting and Clinical Psychology*. 1998; 66(6):987-993

- 211 Riley NM, Bild DE, Cooper L, Schreiner P, Smith DE, Sorlie P, Thompson JK. Relationship of self-image to body size and weight loss attempts in Black women: The CARDIA Study. *American Journal of Epidemiology*. 1998; 148(11):1062-1068
- 221 Smith DE, Marcus MD, Lewis CE, Fitzgibbon M, Schreiner PJ. Prevalence of binge eating disorder, obesity and depression in a biracial cohort of young adults. *Annals of Behavioral Medicine*. 1998; 20(3):227-232
- 254 Pereira MA, Jacobs DR, Jr, Slattery ML, Ruth K, Van Horn R, Hilner JE, Kushi LH. The association of whole grain intake and fasting insulin in a biracial cohort of young adults: The CARDIA Study. *CVD Prevention*. 1998; 1(3):231-242
- 213 Lewis CE, Wagenknecht LE, Jacobs DR, Jr, Bild DE, Williams OD. A balance of opposing forces: Ten-year CHD risk changes in young adults. Results from the CARDIA Study. *CVD Prevention*. 1998; 1(4):271-281
- 173 Smith DE, Thompson JK, Raczynski JM, Hilner JE. Body image among men and women in a biracial cohort: The CARDIA Study. *International Journal of Eating Disorders*. 1999; 25:71-82
- 171 Sternfeld B, Sidney S, Jacobs DR, Jr, Haskell WL, Schreiner PJ. Seven year changes in physical fitness, physical activity and lipid profile in the CARDIA Study. *Annals of Epidemiology*. 1999; 9:25-33
- 223 Dyer AR, Liu K, Walsh M, Kiefe CI, Jacobs DR, Jr, Bild DE. Ten-year incidence of elevated blood pressure and its predictors: The CARDIA Study. *Journal of Human Hypertension*. 1999; 13:13-21
- 253 Kim JR, Kiefe CI, Liu K, Williams OD, Jacobs DR, Jr, Oberman A. Heart rate and subsequent blood pressure in young adults: The CARDIA Study. *Hypertension*. 1999; 33:640-646
- 215 Jacobs DR, Jr, Hannan PJ, Wallace D, Liu K, Williams OD, Lewis CE. Interpreting age, period and cohort effects in plasma lipids and serum insulin using repeated measures regression analysis: The CARDIA Study. *Statistics in Medicine*. 1999; 18:655-679
- 272 Ludwig DS, Pereira MA, Kroenke CH, Hilner JE, Van Horn L, Slattery ML, Jacobs DR, Jr. Dietary fiber, weight gain and cardiovascular disease risk factors in young adults: The CARDIA Study. *Journal of the American Medical Association*. 1999; 282(16):1539-1546
- 129 Flack JM, Gardin JM, Yunis C, Liu K. Static and pulsatile blood pressure correlates of left ventricular structure and function in black and white young adults: The CARDIA Study. *American Heart Journal*. 1999; 138(5):856-864
- 151 Flack JM, Kvasnicka JH, Gardin JM, Gidding SS, Manolio TA, Jacobs, Jr, DR. Anthropometric and physiologic correlates of mitral valve prolapse in a biethnic cohort of young adults: The CARDIA Study. *American Heart Journal*. 1999; 138:486-492

- 283 Iribarren C, Sidney S, Bild DE, Liu K, Markovitz JH, Roseman JM. Association of hostility with coronary artery calcification in young adults: The CARDIA Study. *Journal of the American Medical Association*. 2000; 283:2546-2551
- 257 Davidson K, Jonas BS, Dixon KE, Markovitz JH. Do depression symptoms predict early hypertension incidence in young adults in the CARDIA Study. *Archives of Internal Medicine*. 2000; 160:1495-1500
- 260 Dunn JE, Liu K, Greenland P, Hilner JE, Jacobs DR, Jr. Seven year tracking of dietary factors in young adults: The CARDIA Study. *American Journal of Preventive Medicine*. 2000; 18(1):38-45
- 231 Lewis CE, Jacobs DR, Jr, McCreath H, Kiefe CI, Schreiner PJ, Smith DE, Williams OD. Weight gain continues in the 1990's: 10-year trends in weight and overweight from the CARDIA Study. *American Journal of Epidemiology*. 2000; 151:1172-81.
- 218 Braun BL, Hannan P, Wolfson M, Jones-Webb R, Sidney S. Occupational attainment, smoking, alcohol intake, and marijuana use: Ethnic-gender differences in the CARDIA Study. *Addictive Behaviors*. 2000; 25:399-414.
- 236 Kiefe CI, Williams OD, Weissman NW, Schreiner PJ, Sidney S, Wallace DD. Changes in US health care access changes in the 90s: Race and income differences from the CARDIA Study. *Ethnicity and Disease*. 2000; 10:418-431.
- 217 Schmitz K, Jacobs DR, Jr., Schreiner PJ, Leon AS, Sternfeld B. Physical activity and body weight: Associations over ten years in the CARDIA Study. *International Journal of Obesity*. 2000; 24:1475-1487
- 264 Preisser JS, Lohman KK, Craven TE, Wagenknecht LE. Analysis of Smoking Trends with Incomplete Longitudinal Binary Responses. *Journal of the American Statistical Association (JASA)*. 2000; 95(452):1021-1031
- 245 Schmitz K, Schreiner PJ, Jacobs DR, Jr., Leon AS, Liu K, Howard B, Sternfeld B. Independent and interactive effects of apolipoprotein E phenotype and cardiorespiratory fitness on plasma lipids. *Annals of Epidemiology*. 2001; 11:94-103
- 250 Kiefe CI, Williams OD, Lewis CE, Allison JJ, Sekar P, Wagenknecht LE. Ten-year changes in smoking among young adults: Are racial differences explained by socioeconomic factors in the CARDIA Study? *American Journal of Public Health*. 2001; 91(2):213-218
- 251 Bild DE, Folsom AR, Lowe Lynn P, Sidney S, Kiefe CI, Westfall AO, Zheng Z-J, Rumberger J. Prevalence and correlates of coronary artery calcification in African-American and White young adults: The CARDIA Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2001; 2:852-857
- 255 Wheeler K, Lewis CE, Williams OD, Sidney S, Kiefe CI, Hulley SB. Oral Contraceptives and cardiovascular disease risk in African-American and White women: The CARDIA Study. *Clinical Journal of Women's Health*. 2001;1:175-183.

- 261 Beckett WS, Jacobs, DR, Jr, Yu X, Iribarren C, Williams OD. Asthma is associated with weight gain in females but not males, Independent of physical activity: The CARDIA Study. *American Journal of Respiratory and Critical Care Medicine*. 2001; 164:2045-2050
- 265 Allen J, Markovitz J, Jacobs, DR, Jr, Knox SS. Social support and health behavior in high-hostile black and white men and women in CARDIA. *Psychosomatic Medicine*. 2001; 63:609-618
- 280 Matthews KA, Kiefe CI, Lewis CE, Liu K, Sidney S, Yunis C. Socioeconomic trajectories in a biracial cohort of young adults: Risk for incident hypertension in the CARDIA Study. *Hypertension*. 2002; 39:772-6
- 124 Apostol GG, Jacobs DR, Jr., Tsai AW, Crow RS, Williams OD, Townsend MC, Beckett WS. Early Life Factors Contribute to the Decrease in Lung Function between Ages 18 and 40: The CARDIA Study. *American Journal of Respiratory and Critical Care Medicine*. 2002; 166:166-172
- 289 Whooley MA, Boyd AL, Gardin JM, Williams DR. Religious involvement and cigarette smoking in young adults: The CARDIA Study. *Archives of Internal Medicine*. 2002; 162:1604-1610
- 189 Kip KE, McCreath HE, Roseman JM, Hulley SB, Schreiner PJ. Absence of risk factor change in young adults after family heart attack or stroke: The CARDIA Study. *American Journal of Preventive Medicine*. 2002; 22(4):258-266
- 227 Gardin J, Brunner D, Scheriner P, Xie X, Reid C, Ruth K, Bild DE. Demographic and correlates of 5-year change in echocardiographic left ventricular mass in young black and white adult men and women: The CARDIA Study. *Journal of the American College of Cardiology*. 2002; 40(3):529-35.
- 298 Kim C, Siscovick DS, Sidney S, Lewis CE, Kiefe CI, Koepsell TD. Oral contraceptive use and association with glucose, insulin, and diabetes in young adult women: The CARDIA study. *Diabetes Care*. 2002; 25(6):1027-032
- 297 Pereira M, Jacobs DR, Jr, Van Horn L, Hilner JE, Slattery M, Kartashov AI, Ludwig DS. Dairy intake, insulin resistance, and cardiovascular disease risk factors in young adults. *Journal of the American Medical Association*. 2002; 287(16): 2081-2089
- 224 Jacobs DR, Jr, Murtaugh MA, Steffes M, Yu X, Roseman J, Goetz FC. Gender and race-specific determinations of albumin excretion rate using albumin to creatinine ratio in single untimed urine specimens: The CARDIA Study. *American Journal of Epidemiology*. 2002; 155:1114-19
- 288 Whooley MA, Kiefe CI, Chesney MA, Markovitz JH, Matthews K, Hulley SB. Depressive symptoms, unemployment, and loss of income: The CARDIA Study. *Archives of Internal Medicine*. 2002; 162(22):2614-20

- 169 Knox S, Hausdorff J, Markovitz J. Reactivity as a predictor of subsequent blood pressure, Racial differences in the coronary artery risk development in young adults (CARDIA) Study. *Hypertension*. 2002; 40(6): 914-919.
- 243 Norman JE, Bild D, Lewis CE, Liu K, West DE. The impact of weight change on cardiovascular risk factors: Are blacks and white different? *International Journal of Obesity*. 2003; 369-376
- 208 Thomas R, Liu Kiang, Jacobs D, Bild D, Kiefe C, Hulley S. Positional change in blood pressure and eight-year risk of hypertension: results from the CARDIA Study. *Mayo Clinic Proceedings*. 2003; 78: 951-958.
- 324 Lorber R, Gidding S, Daviglius M, Colangelo L, Liu K, Gardin J. Influence of systolic blood pressure and body mass index on left ventricular structure in healthy young African American and White adults: The CARDIA Study. *Journal of American College of Cardiology*. 2003; 41(6):955-960
- 331 Lee D, Jacobs D, Gross M, Kiefe C, Roseman J, Lewis C, Steffes M. Gamma glutamyltransferase is a predictor of incident diabetes and hypertension: The CARDIA Study. *Clinical Chemistry*. 2003; 49(8): 1358-1366.
- 336 Murtaugh M, Jacobs D, Steffes M, Roseman J, Yu X, Goetz F. Increased urinary albumin to creatinine ratio within the normal range of blood pressure in black and white young adults: the CARDIA study. *American Journal of Epidemiology*. 2003; 158(7): 676-686.
- 370 Carnethon M, Liu K, Sidney S, Jacobs D. Influence of Autonomic Nervous System Dysfunction on the Development of Type 2 Diabetes. *Diabetes Care*. 2003; 26(11):3035-3041.
- 391 Jacobs D, Gross M, Steffes M, Pereira M, Steffen L. Relation between dairy food intake and plasma lipid levels: The CARDIA Study. *Australian Journal of Dairy Technology*. 2003; 58(2):106-111.
- 347 Yan L, Liu K, Matthews K, Daviglius M, Ferguson T, Kiefe C. Psychosocial Factors and Risk of Hypertension: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Journal of the American Medical Association*. 2003; 290(16); 2138-2148.
- 344 Stehman-Breen C, Gillen D, Steffes M, Jacobs DR Jr, Lewis CE, Kiefe CI, Siscovick D. Racial difference in early-onset renal disease among young adults: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *J Am Soc Nephrol*. 2003; 14(9):2352-7.
- 246 Archer S, Dyer A, Hilner J, Greenlund K, Colangelo L, Kiefe C, Liu K. Association of education with dietary intake among young adults in the biethnic CARDIA cohort. *Journal of Public Health Nutrition*. 2003; 6(7):689-695.

- 359 Simon J, Murtaugh M, Gross M, Loria C, Jacobs D, Hulley S. Relation of ascorbic acid to coronary artery calcification: the coronary artery risk development in young adults (CARDIA) study. *American Journal of Epidemiology*. 2003;159(6):581-588.
- 378 Carnethon MR, Gidding SS, Nehgme R, Sidney S, Jacobs DR, Liu K. Cardiorespiratory fitness in young adulthood and the development of cardiovascular disease risk factors. *Journal of the American Medical Association*. 2003; 290:3092-3100.
- 306 Steffes M, Lewis C, Iribarren C, Jacobs D, Gross M, Liu K. The Effects of Diabetes Mellitus, Weight Gain and Impaired Fasting Glucose on the Development of Albuminuria in Young Adults: Coronary Artery Risk Development in Young Adults (CARDIA). *American Journal of Epidemiology*. 2003;212:676-86.
- 395 Carnethon M, Hill J, Loria C, Sidney S, Savage P, Liu K. Risk factors for developing the metabolic syndrome in young adults. *Diabetes Care*. 2004;27:2707-2715.
- 389 Lee DH, Gross M, Jacobs D. The association of serum carotenoids and tocopherols with gamma glutamyltransferase: The CARDIA Study. *Clinical Chemistry*. 2004;50(3):582-588.
- 372 Karlamangla A, Singer B, Williams DR, Schwartz J, Matthews K, Kiefe C, Seeman T. Impact of socioeconomic status on longitudinal accumulation of cardiovascular risk in young adults: The CARDIA Study. *Social Science and Medicine*. 2004;60:999-1015.
- 322 Matthews K, Katholi C, McCreath H, Whooley M, Williams DR, Zhu S, Markovitz J. Blood pressure reactivity to psychological stress predicts hypertension in the CARDIA Study. *Circulation*. 2004;110:74-78.
- 278 Iribarren C, Jacobs D, Hulley S, Kiefe C, Lewis C, Matthews K, Roseman J. Causes and demographic, medical, lifestyle and psychosocial predictors of premature mortality: The CARDIA Study. *Social Science & Medicine*. 2004;(60)471-482.
- 287 Markovitz J, Whooley M, Lewis C, Greenlund K, Matthews K. Increases in job strain are associated with incident hypertension in the CARDIA Study. *Annals of Behavioral Medicine*. 2004;28(1):4-9.
- 379 Lee D, Jacobs D, Steffen L. Association between serum gamma-glutamyltransferase and dietary factors: CARDIA Study. *American Journal of Clinical Nutrition*. 2004;79(4):600-605.
- 294 Iribarren C, Markovitz J, Jacobs D, Schreiner P, Hilner J, Hibbeln J. Dietary intake of n-3, n-6 fatty acids and fish: Relationship with hostility level in young adults: The CARDIA Study. *Europe Journal Clinical Nutrition*. 2004; 58:24-31.
- 383 Fornage M, Boerwinkle E, Doris P, Jacobs D, Liu K, Wong N. Polymorphism of the soluble epoxide hydrolase is associated with coronary artery calcification in african-american subjects: The CARDIA Study. *Circulation*. 2004;109:335-339.

- 330 Gunderson E, Murtaugh M, Quesenberry C, Lewis C, West DS, Sidney S. Excess gains in weight and waist circumference associated with childbearing: the coronary artery risk development in young adults study (CARDIA). *International Journal of Obesity*. 2004; 1-11.
- 329 Gunderson E, Lewis C, Murtaugh M, Quesenberry C, West DS, Sidney S. Long-term plasma lipid changes associated with a first birth: The Coronary Artery Risk Development in Young Adults Study (CARDIA). *American Journal of Epidemiology*. 2004;159:1028-1039.
- 364 Gunderson E, Quesenberry C, Lewis C, Tsai A, Sternfeld B, West D, Sidney S. Development of overweight associated with childbearing depends on smoking habit: The coronary artery risk development in young adults (CARDIA) study. *Obesity Research*. 2004;12(12):2041-2053.
- 285 Mustillo S, Krieger N, Gunderson E, Sidney S, Kiefe C, McCreath H. The effects of perceived racial discrimination on the black/white differences in preterm delivery and low birth weight: The CARDIA Study. *American Journal of Public Health*. 2004;94(12):2125-2131.
- 311 Fornage M, Boerwinkle E, Roseman J, Siscovick D. Parental history of stroke and myocardial infarction predicts coronary artery calcification: The coronary artery risk development in young adults (CARDIA) study. *European Journal of Cardiovascular Prevention and Rehabilitation*. 2004;11:421-426.
- 305 Gardin J, Iribarren C, Detrano R, Liu K, Schreiner, Loria C, Wong N. Relation of echocardiographic left ventricular mass, geometry and wall stress, and left atrial dimension to coronary calcium in young adults (The CARDIA Study). *American Journal of Cardiology*. 2005;95:626-629.
- 410 Yan L, Liu K, Matthews K, Daviglius M, Kiefe C. Hypertension and psychosocial factors. *Cardiology Review*. 2005; 22(4):39-44.
- 407 Carnethon M, Sternfeld B, Shoushtari C, Jacobs D, Liu K, Gidding S, Sidney S. A longitudinal study of physical activity and heart rate recovery: CARDIA, 1987-1993. *Medicine and Science in Sport and Exercise*. 2005;37(4):606-612.
- 368 Sloan R, Huang M, Sidney S, Liu K, Williams OD, Seeman T. Socioeconomic status and health: is parasympathetic nervous system activity an intervening mechanism? *International Journal of Epidemiology*. 2005;34:309-315.
- 409 Iribarren C, Gross MD, Darbinian JA, Jacobs DR, Jr, Sidney S, Loria CM. Association of Lipoprotein-associated phospholipase A₂ mass and activity with calcified coronary plaque in young adults: The CARDIA Study. *Arteriosclerosis, Thrombosis and Vascular Biology*. 2005;25:216-221.
- 354 Gross M, Lewis C, Loria C, Jacobs D, Hilner J, Lewis L, Steffes M, Yu X. Plasma F₂-Isoprostanes and coronary artery calcification: The CARDIA Study. *Clinical Chemistry*. 2005;51(1):125-131.

- 402 Pletcher M, Lewis C, Kiefe C, Carr J, Hulley S, Sidney S. Cocaine and coronary calcification in young adults: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Heart Journal*. 2005;150(5):921-926.
- 339 Carr J, Clark-Nelson J, Wong N, McNitt-Gray M, Arad Y, Jacobs D, Sidney S, Bild D, Williams OD, Detrano R. Calcified coronary artery plaque measurement with cardiac CT in population-based studies: Standardized protocol of multi-ethnic study of atherosclerosis (MESA) and Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Radiology*. 2005;234:35-43.
- 362 Pletcher M, Kiefe C, Lewis C, Varosy P, Hulley S, Sidney S. Alcohol consumption, binge drinking, and early coronary calcification: Findings from The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Epidemiology*. 2005;161:423-433.
- 366 Lee DH, Jacobs D, Gross M, Steffes M. Serum γ -glutamyltransferase was differently associated with microalbuminuria by status of hypertension or diabetes: The coronary artery risk development in young adults (CARDIA) Study. *Clinical Chemistry*. 2005;51(7):1-7.
- 317 Nelson J, Loria C, Carr J, Goldin J, McNitt-Gray M, Wong N, Williams OD, Detrano R, Kronmal R. Computed tomography coronary calcium measures from brightness-adjusted images. *Radiology*. 2005;235:403-414.
- 274 Rahman A, Gibney L, Person S, Williams OD, Kiefe C, Jolly P, Roseman J. Validity of self reports of reasons for hospitalization by young adults and risk factors for discordance with medical records: The CARDIA Study. *American Journal of Epidemiology*. 2005;162:1-8.
- 371 Yu X, Jacobs D, Gross M, Steffes M, Schreiner P. Uncoupling protein 2 Ala55Val polymorphism and central body fatness and associated metabolic abnormalities. *Clinical Chemistry*. 2005;51(8):1451-1456.
- 411 Carlson C, Reiner A, Nickerson D, Siscovick D, Boerwinkle E, Fornage M, Rieder M, Williams OD. Polymorphisms within the c-reactive protein (CRP) promoter region are associated with plasma CRP levels. *American Journal of Human Genetics*. 2005;77(1):64-77.
- 275 Steffen L, Kroenke C, Jacobs D, VanHorn L, Pereira M, Gross M, Slattery M, Yu X. Associations of plant foods, dairy products, and meat consumption with fifteen-year incidence of elevated blood pressure in young black and white adults: The CARDIA Study. *American Journal of Clinical Nutrition*. 2005;82:1169-77.
- 392 Gunderson E, Whitmer R, Lewis C, Quesenberry C, West D, Sidney S. Do long-term HDL-C declines associated with a first birth vary by apo E phenotype? The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Journal of Women's Health*. 2005;14:917-928.

- 358 Pereira M, Kartashov A, Ebbeling C, Van Horn L, Slattery M, Jacobs D, Ludwig D. Fast food habits, weight gain, and insulin resistance in a 15-year prospective analysis of the CARDIA Study. *Lancet*. 2005;365:36-42.
- 423 Kertesz S, Pletcher M, Safford M, Halanych J, Kirk K, Schumacher J, Sidney S, Kiefe C. Illicit drug use in young adults and subsequent decline in general health: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Drug and Alcohol Dependence*. 2006.
- 399 Gidding S, McMahan A, McGill H, Colangelo L, Schreiner P, Williams OD, Liu K. Prediction of coronary artery calcium in young adults using the pathobiological determinants of atherosclerosis in youth (PDAY) risk score: The CARDIA Study. *Archives of Internal Medicine*. 2006;166(21):2341-2347.
- 428 Kizilbash M, Carnethon M, Chan C, Jacobs D, Sidney S, Liu K. The temporal relationship between heart rate recovery immediately after exercise and the metabolic syndrome: the CARDIA Study. *European Heart Journal*. 2006;27(13):1592-1596.
- 436 Taylor S, Lehman B, Kiefe C, Seeman T. Relationship of early life stress and psychological functioning to adult c-reactive protein in the CARDIA study. *Biological Psychiatry*. 2006;60(8):819-824.
- 404 Borrell L, Kiefe C, Williams D, Diez-Roux A, Gordon-Larsen P. Self-reported health, perceived racial discrimination, and skin color in African Americans in the CARDIA Study. *Social Science & Medicine*. 2006;63(6):1415-1427.
- 433 Wei Q, Jacobs DR Jr., Schreiner PJ, Siscovick DS, Steffes MW, Fornage M. Patterns of association between PPAR[gamma] genetic variation and indices of adiposity and insulin action in African- Americans and Whites: The CARDIA Study. *Journal of Molecular Medicine*. 2006;84(11):955-65.
- 439 Wei Q, Doris PA, Pollizotto MV, Boerwinkle E, Jacobs DR Jr., Siscovick DS, Fornage M. Sequence variation in the soluble epoxide hydrolase gene and subclinical coronary atherosclerosis: Interaction with cigarette smoking. *Atherosclerosis*. Epub 2006 Mar 20. 2006;190(1):26-34.
- 385 Matthews K, Schwartz J, Cohen S, Seeman T. Diurnal cortisol decline is related to coronary calcification: CARDIA study. *Psychosomatic Medicine*. 2006;68(5):657-661.
- 263 Knox S, Barnes A, Kiefe C, Lewis C, Iribarren C, Matthews K, Wong N, Whooley M. History of depression, race, and cardiovascular risk in CARDIA. *International Journal of Behavioral Medicine*. 2006;13(1):44-50.
- 323 Matthews K, Zhu S, Tucker D, Whooley M. Blood pressure reactivity psychological stress and coronary calcification in the Coronary Artery Risk Development in Young Adults Study. *Hypertension*. 2006;47:391-3955.

- 418 Lakoski S, Herrington D, Siscovick D, Hulley S. C-Reactive protein concentration and incident hypertension in young adults: The CARDIA Study. *Archives of Internal Medicine*. 2006;166(3):345-349.
- 414 Hozawa A, Houston T, Steffes M, Widome R, Williams OD, Iribarren C, Pletcher M, Daviglius M, Carr J, Jacobs DR.. The association of cigarette smoking with self-reported disease before middle age: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Preventive Medicine*. 2006;42(3):193-199.
- 381 Thyagarajan B, Jacobs D, Apostol G, Smith L, Lewis C, Williams OD. Plasma fibrinogen and lung function: The CARDIA Study. *International Journal of Epidemiology*. 2006;35(4):1001-1008.
- 420 Pletcher M, Kertesz S, Sidney S, Kiefe C, Hulley S. Incidence and antecedents of nonmedical prescription opioid use in four US communities-The Coronary Artery Risk Development in Young Adults (CARDIA) prospective cohort study. *Drug and Alcohol Dependence*. 2006;85(2):171-176.
- 405 Rodondi N, Pletcher M, Liu K, Hulley S, Sidney S. Marijuana use, diet, body mass index, and cardiovascular risk factors (from the CARDIA Study). *American Journal of Cardiology*. 2006;98:478-484.
- 337 Truesdale K, Stevens J, Lewis C, Schreiner P, Loria C, Cai J. Changes in risk factors for cardiovascular disease by baseline weight status in young adults who maintain or gain weight over 15 years: The CARDIA Study. *International Journal of Obesity*. 2006;30:1397-1407.
- 430 Lynch E, Liu K, Kiefe C, Greenland P. Cardiovascular disease risk factor knowledge in young adults and 10-year change in risk factors: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Epidemiology*. 2006;164(12):1171-1179.
- 419 Pletcher M, Hulley B, Houston T, Kiefe C, Benowitz N, Sidney S. Menthol cigarettes, smoking cessation, atherosclerosis, and pulmonary function. The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Archive of Internal Medicine*.. 2006;166(17):1915-1922.
- 387 Houston T, Person S, Pletcher M, Liu K, Iribarren C, Kiefe C. Active and passive smoking and development of glucose intolerance among young adults in a prospective cohort: CARDIA Study. *British Medical Journal*. 2006;332(7549):1064-1069.
- 390 Yan L, Liu K, Daviglius M, Colangelo L, Kiefe C, Sidney S, Matthews K, Greenland P. Education, 15-year risk factor progression, and coronary artery calcium in young adulthood and early middle age: The Coronary Artery Risk Development in Young Adults Study. *JAMA*. 2006;295(15):1793-1800.
- 432 He K, Liu K, Daviglius M, Morris S, Loria C, VanHorn L, Jacobs D, Savage P. Magnesium intake and incidence of metabolic syndrome among young adults: The CARDIA Study. *Circulation*. 2006;113(13):1675-1682.

- 327 Parker E, Schmitz K, Jacobs D, Dengel D, Schreiner P. Physical activity in young adults and incident hypertension over 15 years of follow-up: The CARDIA Study. *American Journal of Public Health*. 2007;97(4):703-709.
- 435 Gunderson E, Lewis C, Wei G, Whitmer R, Quesenberry C, Sidney S. Lactation and changes in maternal metabolic risk factors. *Obstetrics & Gynecology*. 2007;109(3):729-738.
- 477 Gunderson E, Lewis C, Tsai AL, Chiang V, Carnethon M, Quesenberry C, Sidney S. A 20-year prospective study of childbearing and incidence of diabetes in young women, controlling for glycemia before conception: The CARDIA Study. *Diabetes*. 2007;56(12):2990-2996.
- 328 Lee C, Jacobs D, Schreiner P, Iribarren C, Hankinson A. Abdominal obesity and coronary artery calcification in young adults: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Clinical Nutrition*. 2007;86:48-54.
- 400 McMahan A, Gidding S, Malcom, Schreiner P, Strong J, Tracy R, Williams OD, McGill H. Comparison of coronary heart disease risk factors in autopsied young adults from the PDAY study with living young adults from the CARDIA study. *Cardiovascular Pathology*. 2007;16(3):151-158.
- 316 Loria C, Liu K, Lewis C, Hulley S, Sidney S, Schreiner P, Williams OD, Bild D, Detrano R. Early adult risk factor levels and subsequent coronary artery calcification: The CARDIA Study. *Journal of American College of Cardiology*. 2007;49:2013-20.
- 412 Sweet E, McDade T, Kiefe C, Liu K. Relationships between skin color, income, and blood pressure among African Americans in the CARDIA Study. *American Journal of Public Health*. 2007;97:1-7.
- 374 Duffey K, Gordon-Larsen P, Jacobs D, Williams OD, Popkin B. Differential associations of fast food and restaurant food consumption with 3-y change in body mass index: the Coronary Artery Risk Development in Young Adults Study. *American Journal of Clinical Nutrition*. 2007;85:201-208.
- 186 Reid C, Anton-Culver H, Yunis C, Gardin J. Prevalence and clinical correlates of isolated mitral, isolated aortic regurgitation, and both in adults aged 21 to 35 years (from the CARDIA Study). *American Journal of Cardiology*. 2007;99:830-834.
- 441 Kizilbash M, Carnethon M, Chan C, Jacobs D, Lloyd-Jones D, Sidney S, Liu K. The association of heart rate recovery immediately after exercise with coronary artery calcium: the coronary artery risk development in young adults study. *Clinical Autonomic Research*. 2007;17:46-49.
- 434 Salas M, Kiefe CI, Schreiner P, Kim Y, Juarez L, Person SD, Williams OD. Obesity modifies the association of race/ethnicity with medication adherence in the CARDIA study. *The Patient*. 2008;1(1):41-54.

Accepted:

- 455 Borrell L, Kiefe C, Jacobs D, Pletcher M, Sidney S, Houston T. Self-reported racial discrimination and substance use in the Coronary Artery Risk Development in Adults (CARDIA) study. *American Journal of Epidemiology*. 2007;In press.
- 467 Lynch E, Hankinson A, Spring B, Wei G, Liu K, Greenland P. Association of race and socioeconomic status with body size perception: The CARDIA Study. *American Journal of Epidemiology*. 2007;In press.
- 256 Rathmann W, Haastert B, Giani G, Roseman J. Ten-year change in serum uric acid and its relation to changes in other metabolic risk factors in young black and white adults: The CARDIA Study. *European Journal of Epidemiology*. 2007;In press.
- 415 Lloyd-Jones D, Lewis C, Loria C, Liu K, Colangelo L, Klein L, Yan L, Savage P. Association of stable versus increasing body-mass index with changes in risk factors associated with the metabolic syndrome. *Circulation*. 2007;In press.
- 397 Sloan R, Liu K, Sidney S, Seeman T. Cardiac autonomic control and the effects of age, race, and sex: The CARDIA Study. *Autonomic Neuroscience:Basic and Clinical*. 2008;In press.
- 228 Valappil N, Arnett D, Jacobs D, Schreiner P, Glasser S. Correlates of arterial compliance in young adults: The CARDIA Study. *Journal of American Society of Hypertension*. 2008;In press.

Ancillary study manuscripts:

- 1004 Melnick SL, Sreevatsan S, Burke GL, Perkins LL, McCreath H, Sidney S, Hulley SB. AIDS attitudes, behaviors, and beliefs of young Minneapolis adults. *Report to the Minnesota Department of Health*. 1991
- 1001 Berrios D, Hearst N, Perkins LL, Burke GL, Sidney S, McCreath H, Hulley SB. HIV antibody testing in young urban adults. *Archives of Internal Medicine*. 1992; 152:397-402
- 1002 Melnick SL, Jeffrey R, Burke GL, Gilbertson D, Perkins LL, Sidney S, McCreath H, Wagenknecht LE, Hulley SB. Changes in sexual behavior by young urban heterosexual adults in response to the AIDS epidemic. *Public Health Reports*. 1993; 108(5):582-588
- 1003 Melnick SL, Burke GL, Perkins LL, McCreath H, Gilbertson D, Sidney S, Hulley SB. Sexual transmitted diseases among young heterosexual urban adults. *Public Health Reports*. 1993; 108(6):673-679
- 1005 Marcovina SM, Zhang ZH, Gaur V, Albers JJ. Identification of 34 apolipoprotein(a) isoforms: Differential expression of apolipoprotein(a) alleles between American blacks and whites. *Biochemical and Biophysical Research Communications*. 1993; 191(3):1192-1196
- 1006 Marcovina SM, Albers JJ, Jacobs DR, Jr, Perkins LL, Lewis CE, Howard BV, Savage PJ. Lipoprotein(a) concentrations and apolipoprotein(a) phenotypes in Caucasians and African Americans: The CARDIA Study. *Arteriosclerosis & Thrombosis*. 1993; 13(7):1037-1045
- 1007 Green D, Ruth KJ, Folsom AR, Liu K. Hemostatic factors in the coronary artery risk development in young adults (CARDIA) study. *Arteriosclerosis & Thrombosis*. 1994; 14(5):686-693
- 1008 Green D, Jarrett O, Ruth KJ, Folsom AR, Liu K. Relationship among Lewis phenotype, clotting factors and other cardiovascular risk factors in young adults. *Journal of Laboratory & Clinical Medicine*. 1995; 125(3):334-339
- 1009 Maron B, Gardin JM, Flack JM, Gidding SS, Kurosaki T, Bild DE. Prevalence of hypertrophic cardiomyopathy in a general population of young adults: Echocardiographic analysis of 4111 Subjects in the CARDIA Study. *Circulation*. 1995; 92(4):785-789
- 1010 Slattery M, Jacobs DR, Jr. Assessment of ability to recall physical activity of several years ago. *Annals of Epidemiology*. 1995; 5(4):292-296
- 1011 Krieger N, Sidney S. Racial discrimination and blood pressure: The CARDIA Study of young black and white adults. *American Journal of Public Health*. 1996; 86(10):1370-1378
- 1028 Marcovina SM, Zhang ZH, Gaur VP, Albers JJ. Differences in Lp(a) concentrations and Apo(a) polymorphs between black and white Americans. *Journal of Lipid Research*. 1996; 37:2569-2585

- 1018 Krieger N, Sidney S. Prevalence and health implications of discrimination based on sexual orientation: A study of black and white women and men with same-sex partners in the CARDIA cohort. *International Journal of Health Services*. 1997; 27(1):157-176
- 1017 Ettinger B, Sidney S, Cummings S, Libanati C, Bikle D, Tekawa I, Tolan K, Steiger P. Racial difference in bone density between young adults black and white subjects persists after adjustment for anthropometric, lifestyle, and biochemical difference. *Journal Clinical Endocrinology & Metabolism*. 1997; 82(2):429-434
- 1019 Green D, Chamberlain M, Ruth KJ, Folsom AR, Liu K. Factor VII, cholesterol and triglycerides: The CARDIA Study. *Arteriosclerosis, Thrombosis and Vascular Biology*. 1997; 17(1):51-55
- 1023 Archer SL, Green D, Chamberlain M, Dyer AR, Liu K. Association of dietary fish and n-3 fatty acid intake with hemostatic factors in the CARDIA study. *Arteriosclerosis, Thrombosis and Vascular Biology*. 1998; 18:1119-1123
- 1024 Krieger N, Sidney S, Coakley E. Racial discrimination and skin color in the CARDIA Study: Implications for public health research. *American Journal of Public Health*. 1998; 88(9):1308-1313
- 1029 Perry HM, Roccella EJ. Conference report on stroke mortality in the Southeastern United States. *Hypertension*. 1998; 31:1206-1215
- 1016 Bikle DD, Ettinger B, Sidney S, Tekawa IS, Tolan K. Differences in calcium metabolism between black and white men and women. *Mineral and Electrolyte Metabolism*. 1999; 25:178-84
- 1030 Falkner N, Folsom AR, Jeffrey, RW, Schreiner PJ. The association between birthweight and adult cardiovascular disease risk factors: The CARDIA Study. *CVD Prevention*. 1999; 2:222-229
- 1031 Hill JO, Sidney S, Lewis CE, Tolan K, Scherzinger AL, Stamm ER. Racial differences in amounts of visceral adipose tissue in young adults: The CARDIA Study. *American Journal of Clinical Nutrition*. 1999; 69:381-387
- 1036 Folsom AR, Jensen MD, Jacobs DR, Jr, Hilner JE, Tsai AW, Schreiner PJ. Serum leptin and weight gain over eight years in African-American and Caucasian Young Adults. *Obesity Research*. 1999; 7:1-8
- 1037 Sidney S, Lewis CE, Hill JO, Quesenberry, CP, Jr, Stamm ER, Scherzinger A, Tolan K, Ettinger B. Association of total and central adiposity measures with fasting insulin in a biracial population of young adults with normal glucose tolerance: The CARDIA Study. *Obesity Research*. 1999; 7:252-272
- 1034 Juo S-H H, Han Z, Smith JD, Colangelo L, Liu K. A common polymorphism in the promoter region of the microsomal triglyceride transfer protein gene influences cholesterol, Apolipoprotein B and triglyceride levels in young African American Men: Results from the

- CARDIA Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2000; 20:1316-1322
- 1035 da Silva B, Gapstur S, Achenbach A, Schuh TS, Kotlar TJ, Liu K, Lowe WL. Lack of association between the -308 polymorphism of the tumor necrosis factor-alpha gene and the insulin resistance syndrome. *Journal of Investigative Medicine*. 2000; 48(4):236-244
- 1033 Diez-Roux A, Kiefe CI, Jacobs D, Jr, Hann M, Jackson SA, Nieto J, Paton CC, Schulz R. Area characteristics and individual-level socioeconomic position indicators in three population-based epidemiologic studies. *Annals of Epidemiology*. 2001; 11:395-405
- 1038 Juo S-H H, Zhihua H, Smith Jonathan D, Colangelo L, Liu K. Promoter polymorphisms of the hepatic lipase gene exclusively influences HDL2 but not HDL3 cholesterol in young african american men: The CARDIA Study. *Journal of Lipid Research*. 2001; 42:258-264
- 1044 Gapstur SM, Gann PH, Kopp P, Colangelo L, Longcope L, Liu K. Serum androgen concentrations in young men: A longitudinal analysis of associations with age, obesity and race: The CARDIA male hormone study. *Cancer Epidemiology, Biomarkers & Prevention*. 2002; 11:1041-1047.
- 1048 Sharp TA, Bell ML, Grunwald GK, Schmitz KH, Sidney S, Lewis CE, Tolan K, Hill JO. Differences in resting metabolic rate between White and African American young adults in the CARDIA Study. *Obesity Research*. 2002; 10:726-732
- 1040 Cobb K, Kelsey J, Sidney S, Ettinger B, Lewis CE. Oral contraceptive use and bone mineral density in white and black women in the CARDIA study. *Osteoporosis International*. 2002; 11:893-900.
- 1045 Diez-Roux A, Jacobs DR, Kiefe CI. Neighborhood characteristics and components of the insulin resistance syndrome in young adults: The CARDIA Study. *Diabetes Care*. 2002; 25(11):1976-1982.
- 1039 Diez-Roux A, Merkin SS, Hannan P, Jacobs DR, Jr, Kiefe CI. Area characteristics, individual-level socioeconomic indicators, and smoking in young adults: The CARDIA Study. *American Journal of Epidemiology*. 2003; 157:315-326.
- 1061 Juo SH, Colangelo L, Han Z, Smith JD, Liu K. Confirm the Microsomal Triglyceride Transfer Protein Genetic Effect on Lipids in Young African American Men From the CARDIA Study. *Arteriosclerosis Thrombosis and Vascular Biology*. 2003; 23(5):912-913.
- 1041 Gross M, Yu X, Hannan P, Prouty C, Jacobs D. Lipid standardization of serum fat-soluble antioxidant concentrations: The YALTA Study. *American Journal of Clinical Nutrition*. 2003;77(2):458-66.
- 1065 Steffes M, Jacobs D, Gingerich R, Schreiner P, Hilner J, Yu X, Gross M. Serum adiponectin in young adults: Interactions with central adiposity, circulating levels of glucose and insulin resistance: The CARDIA Study. *Annals of Epidemiology*. 2004;14(7):492-8.

- 1058 Colangelo L, Liu K, Gapstur S. IGF-1, IGFBP-3, and CVD risk factors in young black and white men: The CARDIA Study. *American Journal of Epidemiology*. 2004; 160(8):750-757.
- 1080 Gapstur S, Chiu B, Colangelo L, Gann P, Kopp P. Longitudinal associations of age, anthropometric and lifestyle factors with serum total IGF-I and IGFBP-3 levels in Black and White men: The CARDIA Male Hormone Study. *Cancer Epidemiology Biomarkers and Prevention*. 2004; 13(12):2208-2216.
- 1046 Henderson C, Diez-Roux A, Jacobs D, Kiefe C, West D, Williams DR. Neighborhood characteristics, individual-level socioeconomic factors, and depressive symptoms in young adults: The CARDIA Study. *Journal of Epidemiology and Community Health*. 2005;59(4):322-328.
- 1071 Taylor B, Schreiner P, Doherty T, Fornage M, Carr J, Sidney S. Matrix gla protein and osteopontin genetic associations with coronary artery calcification and bone density: The CARDIA Study. *Human Genetics*. 2005;116:525-528.
- 1076 Grunfeld C, Gripshover B, Osmond D, McCreath H, Saag M, Tien P, Heymsfield S. From the study of fat redistribution and metabolic changes in HIV infection (FRAM). *Journal of Acquired Immune Deficiency Syndrome*. 2005;40(2):121-131.
- 1102 Colangelo L, Chiu B, Liu K, Kopp P, Gann P, Gapstur S. IGF-1, IGFBP-3 and nutritional factors in young black and white men: The CARDIA Male Hormone Study. *Nutrition and Cancer*. 2005;53(1):57-64.
- 1060 Taylor S, Lehman B, Kiefe C, Seeman T. Relation of childhood socioeconomic status and family environment to adult metabolic functioning in the CARDIA study. *Psychosomatic Medicine*. 2005;67:846-854.
- 1091 Klos K, Hamon S, Clark A, Boerwinkle E, Liu K, Sing C. APOA5 polymorphisms influence plasma triglycerides in young, healthy African Americans and whites of the CARDIA Study. *Journal of Lipid Research*. 2005;46(3):564-571.
- 1050 Cohen S, Schwartz S, Epel E, Kirschbaum C, Sidney S, Seeman T. Socioeconomic status, race and diurnal cortisol decline in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Psychosomatic Medicine*. 2006;68:41-50.
- 1120 Reiner A, Carty C, Carlson C, Wan J, Rieder M, Smith J, Rice K, Fornage M, Jaquish C, Williams OD, Tracy R, Lewis C, Siscovick D, Boerwinkle E, Nickerson D. Association between patterns of nucleotide variation across the three fibrinogen genes and plasma fibrinogen levels: the Coronary Artery Risk Development in Young Adults (CARDIA) study. *Journal of Thrombosis and Haemostasis*. 2006;4:1279-1287.
- 1100 Hozawa A, Jacobs D, Steffes M, Gross M, Steffen L, Lee DH. Associations of serum carotenoid concentrations with the development of diabetes and with insulin concentration: Interaction with Smoking: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Epidemiology*. 2006;163:929-937.

- 1090 Hamon S, Kardia S, Boerwinkle E, Liu K, Klos K, Clark A, Sing C. Evidence for consistent intragenic and intergenic interactions between SNP effects in the APOA1/C3/A4/A5 gene cluster. *Human Heredity*. 2006;61(2):87-96.
- 1084 Lauderdale D, Knutson K, Yan L, Rathouz P, Sidney S, Liu K. Objectively measured sleep characteristics among early-middle-aged adults: The CARDIA Study. *American Journal of Epidemiology*. 2006;164:5-16.
- 1094 Brown C, Rea T, Hamon S, Hixson J, Boerwinkle E, Clark A, Sing C. The contribution of individual and pairwise combinations of SNPs in the APOA1 and APOC3 genes to interindividual HDL-C variability. *Journal of Molecular Medicine*. 2006;84:561-572.
- 1099 Klos K, Sing C, Boerwinkle E, Hamon S, Rea T, Clark A, Fornage M, Hixson J. Consistent effects of genes involved in reverse cholesterol transport on plasma lipid and apolipoprotein levels in CARDIA participants. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2006;26:1-9.
- 1105 Iribarren C, Husson G, Sydow K, Wang B, Sidney S, Cooke J. Asymmetric dimethyl-arginine and coronary artery calcification in young adults entering middle age: The CARDIA Study. *European Society of Cardiology*. 2006;13:1-8.
- 1081 Andersen L, Jacobs D, Gross M, Schreiner P, Williams OD, Lee DH. Longitudinal associations between body mass index and serum carotenoids: The CARDIA Study. *British Journal of Nutrition*. 2006;95:358-365.
- 1104 Shen W, Punyanitya M, Chen J, Gallagher D, Albu J, Pi-Sunyer X, Lewis C, Grunfeld C, Heshka S, Heymsfield S. Waist circumference correlates with metabolic syndrome indicators better than percentage fat. *Obesity*. 2006;14(4):727-736.
- 1066 Steffes M, Gross M, Lee DH, Schreiner P, Jacobs D. Adiponectin, visceral fat, oxidative stress, and early macrovascular disease: The Coronary Artery Risk Development in Young Adults Study. *Obesity Research*. 2006;14(2):319-326.
- 1154 Grunfeld C, Bacchetti P, Cofrancesco J, Heymsfield S, Lewis C, Scherzer R, Shlipak M, Tien P. Fat distribution in women with HIV infection: From the Study of Fat Redistribution and Metabolic Change in HIV Infection (FRAM). *Journal of Acquired Immune Deficiency Syndrome*. 2006;42(5):562-571.
- 1111 Tien P, Benson C, Zolopa A, Sidney S, Osmond D, Grunfeld C. The study of fat redistribution and metabolic change in HIV infection (FRAM): Methods, design, and sample characteristics. *American Journal of Epidemiology*. 2006;163(9):860-869.
- 1103 Gapstur S, Kopp P, Gann P, Chiu BC-H, Colangelo L, Liu K. Changes in BMI modulate age-associated changes in sex hormone binding globulin and total testosterone, but not bioavailable testosterone in young adult men: The CARDIA Male Hormone Study. *International Journal of Obesity*. 2006;1-7.

- 1113 Knutson K, Rathouz P, Yan L, Liu K, Lauderdale D. Stability of the Pittsburgh Sleep Quality Index and Epworth Sleepiness Questionnaires over 1 year in early middle-aged adults: The CARDIA Study. *Sleep*. 2006;29(11):1503-1506.
- 1114 Iribarren C, Go A, Husson G, Sidney S, Fair J, Quertermous T, Hlatky M, Fortmann S. Metabolic syndrome and early-onset coronary artery disease: Is the whole greater than its parts? *Journal of American College of Cardiology*. 2006;48(9):1800-1807.
- 1050 Cohen S, Schwartz J, Liu K, Sidney S. Socioeconomic status, race and diurnal cortisol decline in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Psychosomatic Medicine*. 2006;68:41-50.
- 1132 Hozawa A, Jacobs D, Steffes M, Gross M, Steffen L, Lee DH. Relationships of circulating carotenoid concentrations with several markers of inflammation, oxidative stress, and endothelial dysfunction: The Coronary Artery Risk Development in Young Adults (CARDIA)/Young Adult Longitudinal Trends in Antioxidants (YALTA) Study. *Clinical Chemistry*. 2007;53(3):1-9.
- 1116 Reiner AP, Carlson CS, Rieder MJ, Siscovick DS, Liu K, Chandler WL, Green D, Schwartz SM, Nickerson DA. Coagulation factor VII gene haplotypes, obesity-related traits, and cardiovascular risk in young women. *Journal of Thrombosis and Haemostasis*. 2007;4:1-8.
- 1118 Reiner A, Carlson C, Ziv E, Iribarren C, Jacquish C, Nickerson D. Genetic ancestry, population sub-structure, and cardiovascular disease-related traits among African-American participants in the CARDIA Study. *Human Genetics*. 2007.
- 1107 Colangelo L, Sharp L, Kopp P, Scholtens D, Chiu B, Liu K, Gapstur S. Total testosterone, androgen receptor polymorphism, and depressive symptoms in young black and white men: The CARDIA Male Hormone Study. *Psychoneuroendocrinology*. 2007;32:951-958.
- 1122 Reiner A, Carlson C, Jenny N, Durda P, Siscovick D, Nickerson D, Tracy R. USF1 gene variants, cardiovascular risk, and mortality in European-Americans. Analysis of two U.S. cohort studies – IGAP. *Arteriosclerosis, Thrombosis and Vascular Biology*. 2007;27:2736-2742.
- 1165 Odden M, Scherzer R, Bacchetti P, Szczech L, Sidney S, Grunfeld C, Shlipak M. Cystatin C level as a marker of kidney function in human immunodeficiency virus infection: The FRAM Study. *Archives of Internal Medicine*. 2007;167(20):2213-2219.
- 1178 Lee D, Benson C, Lewis C, Grunfeld C, Scherzer R. Prevalence and factors associated with dry skin in HIV infection: The FRAM Study. *AIDS*. 2007;21:2051-2057.
- 1129 Janicki-Deverts D, Cohen S, Adler N, Schwartz J, Matthews K, Seeman T. Socioeconomic status is related to urinary catecholamines in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Psychosomatic Medicine*. 2007;69(6):514-520.

- 1124 Costanzo P, Malone P, Belsky D, Kertesz S, Pletcher M, Sloan F. Longitudinal differences in alcohol use in early adulthood. *Journal of Studies in Alcohol and Drugs*. 2007;68(5):727-737.
- 1147 Grunfeld C, Rimland D, Gibert C, Powderly W, Sidney S, Shlipak M, Bacchetti P, Scherzer R, Haffner S, Heymsfield. Association of upper trunk and visceral adipose tissue volume with insulin resistance in control and HIV-infected subjects in the fat redistribution and metabolic change in HIV infection study. *Journal of Acquired Immune Deficiency Syndrome*. 2007;46(3):283-90.
- 1189 Shen W, Punyanitya M, Chen J, Gallagher D, Albu J, Pi-Sunyer X, Lewis CE, Grunfeld C, Heymsfield SB, Heshka. Visceral adipose tissue: relationships between single slice areas at different locations and obesity-related health risks. *International Journal of Obesity*. 2007;31(5):763-769.
- 1134 Wolin K, Colangelo L, Liu K, Sternfeld B, Gapstur S. Associations of androgens with physical activity and fitness in young black and white men: The CARDIA Male Hormone Study. *Preventive Medicine*. 2007;44(5):426-431.
- 1086 Jackson B, Kubzansky L, Cohen S, Jacobs D, Wright R. Does harboring hostility hurt? Associations between hostility and pulmonary function in the CARDIA study. *Health Psychology*. 2007;26(3):333-340.
- 1112 Knutson K, Rathouz P, Yan L, Liu K, Lauderdale D. Intra-individual daily and yearly variability in actigraphically recorded sleep measures: the CARDIA study. *Sleep*. 2007;30(6):793-796.
- 1146 Turk A, Kopp P, Colangelo L, Urbanek M, Wood K, Liu K, Skinner H, Gapstur S. Associations of serum sex hormone binding globulin (SHBG) levels with SHBG gene polymorphisms in the CARDIA Male Hormone Study. *American Journal of Epidemiology*. 2008;167(4):412-418.
- 1106 Ohira T, Hozawa A, Iribarren C, Daviglius M, Matthews K, Gross M, Jacobs K. Longitudinal association of serum carotenoids and tocopherols with hostility: The CARDIA Study. *American Journal of Epidemiology*. 2008;167(1):42-50.
- 1198 Currier J, Scherzer R, Bacchetti P, Heymsfield S, Lee D, Sidney S, Tien PC. Regional adipose tissue and lipid and lipoprotein levels in HIV-infected women. *JAIDS*. 2008;.
- 1131 Thyagarajan B, Jacobs D, Carr J, Alozie O, Steffes M, Kailash P, Hayes J, Gross M. Factors associated with paraoxonase genotypes and activity in a diverse, young, healthy population: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *Clinical Chemistry*. 2008;54(4):.
- 1184 Kosmiski L, Bacchetti P, Kotler D, Heymsfield S, Lewis C, Shlipak M, Scherzer R, Grunfeld C. Relationship of fat distribution with adipokines in Human Immunodeficiency Virus Infection: The FRAM Study. *Journal of Clinical Endocrinology and Metabolism*. 2008;93(1):216-224.

- 1181 Cofrancesco J, Scherzer R, Tien P, Gibert C, Southwell H, Sidney S, Dobs A, Grunfeld C. Illicit drug use and HIV treatment outcomes in a US cohort. *AIDS*. 2008;22(3):357-365.

Accepted:

- 1153 Gunderson E, Sternfeld B, Lewis C, Wellons M, Whitmer R, Sidney S. Childbearing may increase visceral adipose tissue independent of overall increase in body fat: CARDIA. *Obesity*. 2007;In press.
- 1166 Assimes T, Knowles J, Priest J, Basu A, Borchert A, Volcik K, Grove M, Tabor H, Southwick A, Tabibiazar R, Sidney S, Boerwinkle E, Go A, Iribarren C, Hlatky M, Fortmann S, Myers R, Kuhn H, Risch N, Quertermous T. A near null variant of 12/15-LOX encoded by a novel SNP in ALOX15 and the risk of coronary artery disease. *Atherosclerosis*. 2007;In press.
- 1151 Wellons M, Sternfeld B, Lewis C, Sites C, Siscovick D, Gunderson E, Richman J, Schreiner P, Schwartz S. Racial differences in self-reported infertility and risk factors for infertility in a cohort of black and white women: The CARDIA Women's Study. *Fertility and Sterility*. 2007;In press.
- 1152 Kim Y, Jacobs D, Gross M, Bergan R, Gann P, Liu K, Gapstur S. Association of serum carotenoid level with serum insulin-like growth factor (IGF)-1 and IGF-binding protein (IGFBP)-3 levels in black and white men. *Cancer Epidemiology Biomarkers and Prevention*. 2007;In press.
- 1115 Sloan R, McCreath H, Tracey K, Sidney S, Seeman T. RR interval variability is inversely related to inflammatory markers: The CARDIA Study. *Molecular Medicine*. 2007;In press.
- 1133 Szczech L, Grunfeld C, Scherzer R, Canchola J, van der Horst C, Sidney S, Wohl D, Shlipak M. Microalbuminuria in HIV Infection: The FRAM Study. *AIDS*. 2007;In press.
- 1089 Widome R, Iribarren C, Loria C, Jacobs D, Carr J, Schreiner P. Secondhand smoke: Associations, Trends, and Correlates: The CARDIA Study. *Preventive Medicine*. 2007;In press.
- 1195 Reingold J, Lewis C, Grunfeld C, Wanke C, Kotler D, Shlipak M, Bacchetti P, Tien P, Tracy R, Scherzer R, Heymsfield S. Association of HIV infection and HIV/HCV coinfection with c-reactive protein levels: The FRAM Study. *JAIDS*. 2008;In press.
- 1205 Tien P, Gripshover B, Lewis C, Kotler D, Rimland D, Bacchetti P, Scherzer R. Regional adipose tissue and elevations in serum aminotransferases in HIV-infected individuals. *AIDS*. 2008;In press.
- 1200 Madden E, Lee G, Kotler D, Wanke C, Lewis C, Tracy R, Heymsfield S, Shlipak M, Bacchetti P, Scherzer R, Grunfeld C. Association of antiretroviral therapy with fibrinogen levels in HIV-infection: FRAM. *AIDS*. 2008;In press.

- 1162 Sternfeld B, Lewis C, Quesenberry C, Siscovick D, Wang H, Mahan J, Liu K, Fornage M, Daviglius M, Williams OD, Schreiner P, Jiang SF, Sidney S, Schwartz S. 14-year changes in androgenicity and body fat in a bi-racial cohort of reproductive age women: the CARDIA Women's Study. *The Journal of Clinical Endocrinology & Metabolism*. 2008;In press.
- 1206 Scherzer R, Lewis C, Grunfeld C, Kotler D, Shlipak M, Bacchetti P, Heymsfield S, Shen W. Simple anthropometric measures correlate with metabolic risk indicators as well as MRI-measured adipose tissue depots in both HIV-infected and control subjects. *The American Journal of Clinical Nutrition*. 2008;In press.
- 1139 Sood A, Jacobs D, Smith L, Gross M, Steffes M, Beckett W, Cui X. Association between adiponectin and asthma in adults: the CARDIA and YALTA studies. *Thorax*. 2008;In press.
- 1119 Assimes T, Go A, Southwick A, Iribarren C, Tabor H, Priest J, Knowles J, Hlatky M, Risch N, Myers R, Tabibiazar R, Fortmann S, Sidney S, Quertermous T. Common polymorphisms of ALOX5 and ALOX5AP and risk of coronary artery disease. *Human Genetics*. 2008;In press.