

**CARDIA X — Year 35 CARDIA Ear Study
HEARING TEST RESULTS FORM**

No.	Variable Description	Value(s)	Variable Name
1.	REDCap ID	_____	ID
2.	CARDIA Short ID	_____	SHORT_ID
3.	Form 111 Exam date	_____	J111EXDAT
4.	Right 250 Hz	_____	J111R0250
5.	Right 500 Hz	_____	J111R0500
6.	Right 1000 Hz	_____	J111R1000
7.	Right 2000 Hz	_____	J111R2000
8.	Right 4000 Hz	_____	J111R4000
9.	Right 8000 Hz	_____	J111R8000
10.	Left 250 Hz	_____	J111L0250
11.	Left 500 Hz	_____	J111L0500
12.	Left 1000 Hz	_____	J111L1000
13.	Left 2000 Hz	_____	J111L2000
14.	Left 4000 Hz	_____	J111L4000
15.	Left 8000 Hz	_____	J111L8000
16.	Pure tone average of \geq 25 dB	_____	J111ALERT25
17.	Thresholds of \geq 25 dB at 3 or more frequencies	_____	J111ALERT3X25

CARDIA Ancillary Study: EAR STUDY
Principal Investigator: Pamela Schreiner
Project Period: 4/1/2019 – 3/31/2024
J1F111= 1979 participants

v2024-05-08

No.	Variable Description	Value(s)	Variable Name
18.	Any single threshold of ≥ 30 dB	_____	J111ALERT30
19.	Asymmetrical HL	_____	J111ALERTASYM
20.	Test quality	_____	J111QUAL
21.	Staff ID	_____	J111STAFFID
22.	Complete?	_____	FORM_111_HEARING_TEST_COMPLETE